

-	21	(position near5 data near5 (pulse adj3 train)) and (frame or packet)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM TDB	2003/03/12 17:12
-	194	decoding with template	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM TDB	2003/03/12 17:12
-	1	decoding with template with pulse with information	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM TDB	2003/03/12 17:13
-	99	(decoding with template) and (stream or packet or frame)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM TDB	2003/03/12 17:13
-	47	self-describing with stream	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM TDB	2003/03/13 10:28
-	2	(self-describing with stream) and pulse	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM TDB	2003/03/13 10:22
-	1	self-describing with stream.ti.	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM TDB	2003/03/13 10:25
-	50	"self describing" with stream	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM TDB	2003/03/13 10:25
-	1	"self describing" with stream.ti.	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM TDB	2003/03/13 10:24
-	3	("self describing" with stream) not (self-describing with stream)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM TDB	2003/03/13 10:24
-	17	"self describing" with packet	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM TDB	2003/03/13 10:25
-	44	"17" and ("self describing" with stream)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM TDB	2003/03/13 10:26
-	2	("self describing" with packet) and ("self describing" with stream)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM TDB	2003/03/13 10:27
-	2	("self describing" with stream) and ("self describing" with packet)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM TDB	2003/03/13 10:27

-	2311	("self describing" with stream) or 7	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/03/13 10:27
-	65	("self describing" with stream) or ("self describing" with packet)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/03/13 10:27
-	1	((("self describing" with stream) or ("self describing" with packet)) and decode with template	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/03/13 10:31
-	0	"self describing" and decode with template	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/03/13 10:29
-	21	pulse and decode with template	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/03/13 10:32
-	0	(self-describing with stream) and (pulse and decode with template)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/03/13 10:32
-	316	(table or structure) with (send transmit) with (decode or encode)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/07/31 11:16
-	5	((table or structure) with (send transmit) with (decode or encode)) and pulse with table	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/07/31 11:20
-	50	((table or structure) with (send transmit) with (decode or encode)) and pulse same (structure database table)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/07/31 11:20
-	11	((table or structure) with (send transmit) with (decode or encode)) and pulse with (structure database table)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/07/31 11:24
-	0	((table or structure) with (send transmit) with (decode or encode)) and pulse with (structure database table) not ((table or structure) with (send transmit) with (decode or encode)) and pulse same (structure database table))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/07/31 11:21
-	6	((table or structure) with (send transmit) with (decode or encode)) and pulse with (structure database table) not ((table or structure) with (send transmit) with (decode or encode)) and pulse with table)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/07/31 11:21
-	61507	(370/\$ or 375/\$) and (table or structure)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/07/31 11:25
-	18046	((370/\$ or 375/\$) and (table or structure)) and pulse	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/07/31 11:25

-	11649	((370/\$ or 375/\$) and (table or structure)) and (pulse time or frequency) with (table or structure)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/07/31 11:25
-	710	((((370/\$ or 375/\$) and (table or structure)) and (pulse time or frequency) with (table or structure)) and (encode or decode) with (table or structure))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/07/31 11:26
-	346	((((370/\$ or 375/\$) and (table or structure)) and (pulse time or frequency) with (table or structure)) and (encode or decode) with (table or structure)) and (transmi\$6 or send\$3) with (table or structure)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/07/31 11:31
-	12	(((((370/\$ or 375/\$) and (table or structure)) and (pulse time or frequency) with (table or structure)) and (encode or decode) with (table or structure)) and (transmi\$6 or send\$3) with (table or structure)) and 707/\$	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/07/31 11:29
-	275	((((370/\$ or 375/\$) and (table or structure)) and (pulse time or frequency) with (table or structure)) and pulse with location	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/07/31 11:29
-	13	(((((370/\$ or 375/\$) and (table or structure)) and (pulse time or frequency) with (table or structure)) and (encode or decode) with (table or structure)) and (transmi\$6 or send\$3) with (table or structure)) and pulse with location	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/07/31 11:30
-	43	((((370/\$ or 375/\$) and (table or structure)) and (pulse time or frequency) with (table or structure)) and (encode or decode) with (table or structure)) and (transmi\$6 or send\$3) with pulse with (information location)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/07/31 11:32
-	1543	((370/\$ or 375/\$) and (table or structure)) and (transmi\$6 or send\$3) with pulse with (information location)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/07/31 11:32
-	324	((370/\$ or 375/\$) and (table or structure)) and (transmi\$6 or send\$3) with pulse with (information location) with (packet table stream frame)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/07/31 11:33
-	0	((((370/\$ or 375/\$) and (table or structure)) and (transmi\$6 or send\$3) with pulse with (information location) with (packet table stream frame)) and 707/\$	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/07/31 11:33
-	116	((370/\$ or 375/\$) and (table or structure)) and (transmi\$6 or send\$3) with pulse near4 (information location) with (packet table stream frame)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/07/31 11:33
-	84	((370/\$ or 375/\$) and (table or structure)) and (transmi\$6 or send\$3) near5 pulse near4 (information location) with (packet table stream frame)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/07/31 11:33
-	52	((370/\$ or 375/\$) and (table or structure)) and (transmi\$6 or send\$3) near5 pulse near4 (information location) near6 (packet table stream frame)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/07/31 13:55

-	3103	pulse with position with modulation	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM TDB	2003/07/31 13:56
-	0	((pulse with position with modulation) and divi@5	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM TDB	2003/07/31 13:56
-	1467	((pulse with position with modulation) and divi\$5	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM TDB	2003/07/31 13:57
-	697	((pulse with position with modulation) and divi\$5) and position with data	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM TDB	2003/07/31 13:57
-	160	((((pulse with position with modulation) and divi\$5) and position with data) and segment	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM TDB	2003/07/31 14:02
-	0	(((((pulse with position with modulation) and divi\$5) and position with data) and segment) and pulse with number with (start being) with (stop end)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM TDB	2003/07/31 14:03
-	8	(((((pulse with position with modulation) and divi\$5) and position with data) and segment) and pulse with (start being) with (stop end)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM TDB	2003/07/31 15:03
-	5672	pulse near2 ((start being) and (stop end))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM TDB	2003/08/01 08:11
-	17404	(position location) near2 ((start being) and (stop end))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM TDB	2003/08/01 08:00
-	255	(pulse near2 ((start being) and (stop end))) and ((position location) near2 ((start being) and (stop end)))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM TDB	2003/08/01 08:00
-	45	((pulse near2 ((start being) and (stop end))) and ((position location) near2 ((start being) and (stop end)))) and (table or index or strucuture) near3 pulse	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM TDB	2003/08/01 08:04
-	11	((pulse near2 ((start being) and (stop end))) and ((position location) near2 ((start being) and (stop end)))) and (375/\$ or 370/\$)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM TDB	2003/08/01 08:04
-	1137	(pulse near2 ((start being) and (stop end))) and (table or field) with pulse	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM TDB	2003/08/01 08:12
-	2232	(pulse near2 ((start being) and (stop end))) and (table or field data) near6 pulse	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM TDB	2003/08/01 08:12

-	1328	(pulse near2 ((start being) and (stop end))) and (table or field data) near6 (location position)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/08/01 08:12
-	986	((pulse near2 ((start being) and (stop end))) and (table or field data) near6 pulse) and ((pulse near2 ((start being) and (stop end))) and (table or field data) near6 (location position))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/08/01 08:13
-	98	((pulse near2 ((start being) and (stop end))) and (table or field data) near6 pulse) and ((pulse near2 ((start being) and (stop end))) and (table or field data) near6 (location position)) and ((pulse near2 ((start being) and (stop end))) and ((position location) near2 ((start being) and (stop end))))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/08/01 08:13
-	23	((pulse near2 ((start being) and (stop end))) and (table or field data) near6 pulse) and ((pulse near2 ((start being) and (stop end))) and (table or field data) near6 (location position)) and ((pulse near2 ((start being) and (stop end))) and ((position location) near2 ((start being) and (stop end)))) and stream	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/08/01 08:23
-	4860	(transmi\$6 or send sent) with (table or structure stream) with pulse	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/08/01 08:25
-	255	((position location) near2 ((start being) and (stop end))) and ((pulse near2 ((start being) and (stop end))) and ((position location) near2 ((start being) and (stop end))))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/08/01 08:25
-	255	((position location) near2 ((start being) and (stop end))) and ((position location) near2 ((start being) and (stop end))) and ((pulse near2 ((start being) and (stop end))) and ((position location) near2 ((start being) and (stop end))))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/08/01 08:25
-	16	((transmi\$6 or send sent) with (table or structure stream) with pulse) and ((pulse near2 ((start being) and (stop end))) and ((position location) near2 ((start being) and (stop end))))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/08/01 08:25
-	722	linear with database	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/08/01 10:58
-	444	(linear (one adj2 dimensional)) near6 database	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/08/01 10:25
-	64	((linear (one adj2 dimensional)) near6 database) and (transm\$6 sen\$4) near3 database	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/08/01 11:03
-	444	(707/\$ or 709/\$) and (serial\$5 linear) near5 database	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/08/01 10:37
-	115	((707/\$ or 709/\$) and (serial\$5 linear) near5 database) and (transm\$6 sen\$4) near3 database	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/08/01 10:37

-	16	((707/\$ or 709/\$) and (serial\$5 linear) near5 database) and (transm\$6 sen\$4) near3 database) and field near5 (position location)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/08/01 10:38
-	3	((707/\$ or 709/\$) and (serial\$5 linear) near5 database) and (transm\$6 sen\$4) near3 database) and field near5 (position location) with stream	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/08/01 10:38
-	2	5857183.URPN.	USPAT	2003/08/01 10:40
-	7	("4876643" "5226165" "5247665" "5249262" "5257367" "5353401" "5408655").PN.	USPAT	2003/08/01 10:40
-	1623	(serial\$5 linear\$5) near6 database	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/08/01 10:59
-	92	((serial\$5 linear\$5) near6 database) and stream with database	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/08/01 10:41
-	18	((serial\$5 linear\$5) near6 database) and stream with database) and field with (position or location)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/08/01 10:42
-	0	6076094.URPN.	USPAT	2003/08/01 10:46
-	48	("3696297" "4473824" "4677552" "4695880" "4700378" "4706121" "4725886" "4740912" "4745559" "4751578" "4845658" "4862268" "4868866" "4887308" "4977455" "4989230" "5010499" "5019963" "5036518" "5038211" "5038374" "5047867" "5063610" "5070404" "5088108" "5099422" "5140419" "5161109" "5166886" "5181113" "5210611" "5212684" "5214792" "5223924" "5235680" "5239540" "5245429" "5247575" "5262860" "5281962" "5283639" "5327237" "5327554" "5359367" "5557333" "5560038" "5594911" "5604867" "B14706121").PN.	USPAT	2003/08/01 10:47
-	1925	stream with database	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/08/01 10:58
-	175	(stream with database) and pulse	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/08/01 10:58
-	17	(serial\$5 one adj dimensional linear\$5) near6 database and ((stream with database) and pulse)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/08/01 10:59
-	92	((serial\$5 linear\$5) near6 database) and (stream with database)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/08/01 11:02
-	35	((serial\$5 linear\$5) near6 database) and (stream with database)) and (transm\$6 sen\$4) near3 database	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/08/01 14:22

-	13	5737595.URPN.	USPAT	2003/08/01 11:09
-	2	5706495.pn.	USPAT;	2003/08/01 15:46
			US-PGPUB;	
			EPO; JPO;	
			DERWENT;	
			IBM_TDB	
-	55	5706495.URPN.	USPAT	2003/08/01 14:24
-	103	decode with template	USPAT;	2003/08/01 15:47
			US-PGPUB;	
			EPO; JPO;	
			DERWENT;	
			IBM_TDB	
-	31	(decode with template) and (pulse or bit) with (position or location)	USPAT;	2003/08/01 15:56
			US-PGPUB;	
			EPO; JPO;	
			DERWENT;	
			IBM_TDB	
-	49	4745559.URPN.	USPAT	2003/08/01 15:52
-	27	(decode with template) and (stream ((serial\$6 liner\$5 one adj dimensional) with database))	USPAT;	2003/08/01 16:47
			US-PGPUB;	
			EPO; JPO;	
			DERWENT;	
			IBM_TDB	
-	13	5339421.URPN.	USPAT	2003/08/01 16:05
-	23	pre-packet\$5	USPAT;	2003/08/01 17:22
			US-PGPUB;	
			EPO; JPO;	
			DERWENT;	
			IBM_TDB	
-	5	"5719555"	USPAT;	2003/08/01 17:23
			US-PGPUB;	
			EPO; JPO;	
			DERWENT;	
			IBM_TDB	
-	0	6348007.URPN.	USPAT	2003/08/01 17:22
-	3	5719555.URPN.	USPAT	2003/08/01 17:23
-	15	("3934175" "4480310" "4656476" "4703444" "4766847" "4792804" "4926161" "4996945" "5044634" "5053768" "5097416" "5305201" "5326095" "5438319" "5610586").PN.	USPAT	2003/08/01 17:23
-	5030	(template or table) near5 (decode encode)	USPAT;	2003/08/01 17:24
			US-PGPUB;	
			EPO; JPO;	
			DERWENT;	
			IBM_TDB	
-	797	((template or table) near5 (decode encode)) and (trasmi\$6 or sen\$4) with (table or template)	USPAT;	2003/08/01 17:46
			US-PGPUB;	
			EPO; JPO;	
			DERWENT;	
			IBM_TDB	
-	46	((template or table) near5 (decode encode)) and (trasmi\$6 or sen\$4) with (table or template) and pulse near3 ((start number being) and (stop end))	USPAT;	2003/08/01 17:46
			US-PGPUB;	
			EPO; JPO;	
			DERWENT;	
			IBM_TDB	
-	51	((template or table) near5 (decode encode)) and (trasmi\$6 or sen\$4) with (table or template) and pulse near3 (position)	USPAT;	2003/08/01 17:35
			US-PGPUB;	
			EPO; JPO;	
			DERWENT;	
			IBM_TDB	
-	4	((template or table) near5 (decode encode)) and (trasmi\$6 or sen\$4) with (table or template) and pulse near3 (position) with (table or template)	USPAT;	2003/08/01 17:35
			US-PGPUB;	
			EPO; JPO;	
			DERWENT;	
			IBM_TDB	
-	47	((template or table) near5 (decode encode)) and (trasmi\$6 or sen\$4) with (table or template) and pulse near3 ((start number begin) and (stop end))	USPAT;	2003/08/01 17:46
			US-PGPUB;	
			EPO; JPO;	
			DERWENT;	
			IBM_TDB	

-	176	((template or table) near5 (decode encode)) and (trasmis6 or sen\$4) with (table or template)) and (pulse bit) near3 ((start number begin) and (stop end))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/08/01 17:47
-	1933	((template or table) near5 (decode encode)) and (pulse or bit) with (table or template)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/08/01 18:27
-	168	((((template or table) near5 (decode encode)) and (trasmis6 or sen\$4) with (table or template)) and (pulse bit) near3 ((start number begin) and (stop end))) and ((template or table) near5 (decode encode)) and (pulse or bit) with (table or template))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/08/01 17:47
-	90	(((((template or table) near5 (decode encode)) and (trasmis6 or sen\$4) with (table or template)) and (pulse bit) near3 ((start number begin) and (stop end))) and ((template or table) near5 (decode encode)) and (pulse or bit) with (table or template))) and (370/\$ 375/\$ 709/\$ 360/\$ 707/\$ 725/\$)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/08/01 18:28
-	1560	((template or table) near5 (decode encode)) and (pulse or bit) near6(table or template)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/08/01 18:28
-	1560	((template or table) near5 (decode encode)) and (pulse or bit) near6 (table or template)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/08/01 18:28
-	1560	((((template or table) near5 (decode encode)) and (pulse or bit) near6 (table or template)) and (((template or table) near5 (decode encode)) and (pulse or bit) with (table or template)))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/08/01 18:28
-	157	((((template or table) near5 (decode encode)) and (pulse or bit) near6 (table or template)) and (((template or table) near5 (decode encode)) and (trasmis6 or sen\$4) with (table or template)) and (pulse bit) near3 ((start number begin) and (stop end)))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/08/01 18:28
-	85	(((((template or table) near5 (decode encode)) and (pulse or bit) near6 (table or template)) and (((template or table) near5 (decode encode)) and (trasmis6 or sen\$4) with (table or template)) and (pulse bit) near3 ((start number begin) and (stop end)))) and (370/\$ 375/\$ 709/\$ 360/\$ 707/\$ 725/\$)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/08/01 18:29
-	76	(((((template or table) near5 (decode encode)) and (pulse or bit) near6 (table or template)) and (((template or table) near5 (decode encode)) and (trasmis6 or sen\$4) with (table or template)) and (pulse bit) near3 ((start number begin) and (stop end)))) and (370/\$ 375/\$ 709/\$ 360/\$ 707/\$ 725/\$) and stream\$5	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/08/01 18:29
-	60	(((((template or table) near5 (decode encode)) and (pulse or bit) near6 (table or template)) and (((template or table) near5 (decode encode)) and (trasmis6 or sen\$4) with (table or template)) and (pulse bit) near3 ((start number begin) and (stop end)))) and (370/\$ 375/\$ 709/\$ 360/\$ 707/\$ 725/\$) and stream\$5 with (decode or encode)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/08/01 18:38

-	327	(transmi\$6 or sen\$4) with (encode decode) with (template table) with (bits pulse data)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM TDB	2003/08/01 18:39
-	420	((transfer\$5 communicat\$5 recieve transmi\$6 or sen\$4) with (encode decode) with (template table) with (bits pulse data)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM TDB	2003/08/01 18:40
-	86	((transfer\$5 communicat\$5 recieve transmi\$6 or sen\$4) with (encode decode) with (template table) with (bits pulse data)) and stream with data and (template table)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM TDB	2003/08/01 18:40
-	37	((transfer\$5 communicat\$5 recieve transmi\$6 or sen\$4) with (encode decode) with (template table) with (bits pulse data)) and stream\$3 with (data and (template table))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM TDB	2003/08/04 07:17
-	18	4357634.URPN.	USPAT	2003/08/01 18:46
-	5	("3162857" "3209259" "3281806" "3304542" "4032979").PN.	USPAT	2003/08/01 18:52
-	1	4357634.pn. and (position or location)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM TDB	2003/08/04 08:32
-	592556	stream\$3	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM TDB	2003/08/04 09:48
-	53465	stream\$3 and (Real)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM TDB	2003/08/04 09:48
-	28	stream\$3 and (Real).as.	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM TDB	2003/08/04 09:50
-	10046	stream\$3 and (stream with (descriptor encode decode))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM TDB	2003/08/04 09:52
-	356	stream\$3 and (stream with (descriptor encode decode) with table)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM TDB	2003/08/04 09:52
-	150	(stream\$3 and (stream with (descriptor encode decode) with table)) and (transmi\$7 sen\$4) with table	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM TDB	2003/08/04 09:53
-	26	(stream\$3 and (stream with (descriptor encode decode) with table)) and (transmi\$7 sen\$4) with table with (encode or decode)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM TDB	2003/08/04 10:01

-	167	(370/428 375/295 375/220 709/231 709/236) and template	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM TDB	2003/03/12 11:13
-	41	((370/428 375/295 375/220 709/231 709/236) and template) and pulse	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM TDB	2003/03/12 11:39
-	2	(370/428 375/295 375/220 709/231 709/236) and field with pulse with (map\$4 decod44 transl4 transform\$5 encod\$4)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM TDB	2003/03/12 11:42
-	115482	pulse adj3 ((start and end) or width)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM TDB	2003/03/12 12:27
-	8168	(pulse adj3 ((start and end) or width)) and stream\$4	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM TDB	2003/03/12 12:25
-	1147	file adj3 allocation adj3 table	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM TDB	2003/03/12 12:17
-	61	(file adj3 allocation adj3 table) and (pulse adj3 ((start and end) or width))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM TDB	2003/03/12 12:17
-	1	((pulse adj3 ((start and end) or width)) and stream\$4) and self-describing	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM TDB	2003/03/12 12:25
-	2021	pulse with position adj3 information	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM TDB	2003/03/12 12:28
-	90	(pulse with position adj3 information) and ((pulse adj3 ((start and end) or width)) and stream\$4)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM TDB	2003/03/12 12:36
-	1853	pulse with position with decod\$4	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM TDB	2003/03/12 15:13
-	3177	position near5 data near5 pulse	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM TDB	2003/03/12 15:14
-	93	position near5 data near5 (pulse adj3 train)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM TDB	2003/03/12 15:15
-	129016	(position near5 data near5 (pulse adj3 train)) and frame or packet	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM TDB	2003/03/12 15:15

-	395	(meta-data metadata "meta data") with (stream\$4)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM TDB	2003/03/12 09:58
-	0	(meta-data metadata "meta data") with (pulse with (location postion layout))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM TDB	2003/03/12 09:52
-	4	(meta-data metadata "meta data") with (pulse)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM TDB	2003/03/12 09:51
-	38	((meta-data metadata "meta data") with (stream\$4)) and ((meta-data metadata "meta data") with ((layout location position) with information))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM TDB	2003/03/12 10:05
-	56	(meta-data metadata "meta data") near3 (packet)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM TDB	2003/03/12 10:06
-	56	(meta-data metadata "meta data") near3 (packet)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM TDB	2003/03/12 10:33
-	10	6151602.URPN.	USPAT	2003/03/12 10:12
-	5	("5293379" "5483522" "5701302" "5805808" "5930786").PN.	USPAT	2003/03/12 10:13
-	6794	370/428 375/295 375/220 709/231 709/236	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM TDB	2003/03/12 10:57
-	211	(370/428 375/295 375/220 709/231 709/236) and (pulse with information)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM TDB	2003/03/12 10:36
-	39	((370/428 375/295 375/220 709/231 709/236) and (pulse with information)) and pulse with start	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM TDB	2003/03/12 10:36
-	47	((370/428 375/295 375/220 709/231 709/236) and (pulse with information)) and pulse with end	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM TDB	2003/03/12 10:37
-	22	((((370/428 375/295 375/220 709/231 709/236) and (pulse with information)) and pulse with start) and (((370/428 375/295 375/220 709/231 709/236) and (pulse with information)) and pulse with end)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM TDB	2003/03/12 10:37
-	2	(370/428 375/295 375/220 709/231 709/236) and tim with information	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM TDB	2003/03/12 11:09
-	2387	(370/428 375/295 375/220 709/231 709/236) and tim\$4 with information	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM TDB	2003/03/12 11:01

-	66	(meta-data metadata "meta data") with ((layout position) with information)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM TDB	2003/03/12 08:09
-	21	(meta-data metadata "meta data") with ((layout location position) with information) and ((packet or frame) with meta)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM TDB	2003/03/12 09:19
-	673	(meta-data metadata "meta data") with (map\$3 translat\$4 decod\$4 template)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM TDB	2003/03/12 10:06
-	29	(meta-data metadata "meta data") with (map\$3 translat\$4 decod\$4 template) and ((packet or frame) with meta)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM TDB	2003/03/12 09:21
-	300	((meta-data metadata "meta data") with (map\$3 translat\$4 decod\$4 template)) and (packet or frame)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM TDB	2003/03/12 09:25
-	0	((meta-data metadata "meta data") with (map\$3 translat\$4 decod\$4 template)) and (packet or frame)) and transmitt	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM TDB	2003/03/12 09:25
-	160	((meta-data metadata "meta data") with (map\$3 translat\$4 decod\$4 template)) and (packet or frame)) and transmit	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM TDB	2003/03/12 09:26
-	7	((meta-data metadata "meta data") with (map\$3 translat\$4 decod\$4 template)) and universal with data with exchange	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM TDB	2003/03/12 09:26
-	30	((meta-data metadata "meta data") with (map\$3 translat\$4 decod\$4 template)) and (packet or frame)) and transmit) and (meta-data metadata "meta data") with (packet or frame)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM TDB	2003/03/12 09:31
-	368	(meta-data metadata "meta data") with ((layout location position) with information)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM TDB	2003/03/12 09:35
-	7	((meta-data metadata "meta data") with (map\$3 translat\$4 decod\$4 template)) and ((meta-data metadata "meta data") with ((layout location position) with information))) and field with position	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM TDB	2003/03/12 09:35
-	101	((meta-data metadata "meta data") with (map\$3 translat\$4 decod\$4 template)) and ((meta-data metadata "meta data") with ((layout location position) with information))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM TDB	2003/03/12 09:37
-	549	database and (meta-data metadata "meta data") with (column or field)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM TDB	2003/03/12 09:38
-	78	((meta-data metadata "meta data") with ((layout location position) with information)) and (database and (meta-data metadata "meta data") with (column or field))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM TDB	2003/03/12 09:50

L Number	Hits	Search Text	DB	Time stamp
-	1116	packet with radio with protocol	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/03/12 07:34
-	172	(packet with radio with protocol) and (packet with radio with protocol) with layer	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/03/12 07:34
-	164	"1" and "1" with layer	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/03/12 07:35
-	0	(packet with radio with protocol) and 1-layer	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/03/12 07:35
-	11	("1" and "1" with layer) and pulse	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/03/12 07:38
-	1644	protocol with pulse	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/03/12 07:39
-	127	(protocol with pulse) and (field with information) and (packet or frame)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/03/12 07:39
-	39	((protocol with pulse) and (field with information) and (packet or frame)) and database	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/03/12 07:49
-	473	self-describing	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/03/12 07:55
-	227	self-describing and (packet or frame)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/03/12 07:49
-	17	self-describing with (packet or frame)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/03/12 08:06
-	161	metadata with (packet or frame)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/03/12 08:06
-	0	(meta-data metadata "meta data") with (position adj6 infomation)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/03/12 08:07
-	20	(meta-data metadata "meta data") with (position adj6 information)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/03/12 08:08